




**YTK EDR-N189H 189"16:10 13 feet width**

## **Grand Electric Fiberglass Screen (Full HD)**



### **Features**

- Roller Motor , 28 rotational speed of 1 minute( Motor: Three wired, quick reversal type, with thermal overload cutout, Integral gears, capacitor and electric brake to avoid coasting. )
- Preset and adjustable limit switch to stop screen in up/down positions
- Rigid metal roller with bearing.
- Coordination Projector makes Electric Screen automation
- Support RF wireless remote control, Up, Down, stop control switch for remote control




- Color: black/ White
- Category: Matte Fiberglass
- Material: Aluminum alloy + iron
- Flame retardant: yes
- Mildew resistant: yes
- Black masking borders: yes
- The best viewing angle: 160°
- Higher gain better reflection effect: Gain: 1.0
- Upper the shaft material: Aluminum alloy
- Below the shaft material: iron
- 1. Synchronous motor device can make screen work smoothly.
- 2. Streamline design, Beautiful with artistic appearance.
- 3. Manual or remote control is optional. Free to stop the screen at any location.
- 4. The screen surface is smooth and hard to distortion. It is also flame retardant, mildew and in duration resistant.
- 5. Screen surface can be cleaned (mild dishwashing liquid diluted with warm water)

## Specification

- Nominal Diagonal: 189" (13 feet) 16:10
- Viewing size(W) x (H): inch:160" x 100" / mm: 4071 mm x 2544mm / feet: 13' x 8'
- Does not Needs the Horizontal seam
- Covering Material: Metal
- Thickness of casing: 8"
- N.W.(kg): 140
- G.W.(kg): 170
- Power Supply: 220 V / 50 ~ 60 Hz
- Covering Dimension(L x W x H)mm: 4413 x 200 x 150

## Drawing



## Accessories(Wireless control series):

**RF-A1**

(Wireless/ relay control)



**RF-A2 for EDR-series**

(Built-in install/  
Wireless/ relay control)



**RF-A3**

(Wireless/manual control)



**RF-A232**

(Wireless/RS232/Manual/relay control)



## Suitable use:

Hall, Lecture Theaters, Cinemas

Warranty: 12 Month