




**YTK EDR141H 16:10 10 feet width**

## **Grand Projector Electric Screen**



### **Features**

- Roller Motor , 28 rotational speed of 1 minute( Motor: Three wired, quick reversal type, oiled for life and with thermal overload cutout, Integral gears, capacitor and electric brake to avoid coasting. )
- Preset and adjustable limit switch to stop screen in up/down positions
- Rigid metal roller at 5" diameter mounted in heavy duty bracket equipped with self-aligning bearing.
- Coordination Projector makes Electric Screen automation
- Support RF wireless remote control, Up, Down, stop control switch for remote control




- May the Built-in remote control , For 12V/24V automation control up/down
- Color: White/ black
- Category: Matte White (Fiberglass)
- Material: iron ( star anise type )
- Flame retardant: yes
- Mildew resistant: yes
- Black masking borders: yes
- The best viewing angle: 160°
- Higher gain better reflection effect: Gain: 1.0
- Upper the shaft material: Iron
- Below the shaft material: Solid iron
- 1. Synchronous motor device can make screen work smoothly.
- 2. Streamline design, Beautiful with artistic appearance.
- 3. Manual or remote control is optional. Free to stop the screen at any location.
- 4. The screen surface is smooth and hard to distortion. It is also flame retardant, mildew and in duration resistant.
- 5. Screen surface can be cleaned (mild dishwashing liquid diluted with warm water)


## Specification

- Nominal Diagonal: 141" (10 feet) 16:10
- Viewing size(W) x (H): inch:120" x 75" / mm: 3048 mm x 1905mm / feet: 10' x 6.25'
- Does not Needs the Horizontal seam
- Covering Material: Aluminum alloy
- Thickness of casing: 5"
- N.W.(kg):18
- G.W.(kg): 20
- Power Supply: 220 V / 50 ~ 60 Hz
- Covering Dimension(W x D x H)mm: 3217 x 150 x 150

**Diagram:**



**Front**



**Side**



**Vertical view**

**Accessories(Wireless control series):**

**RF-A1**  
(Wireless/ relay control)



**RF-A2 for EDR-series**  
(Built-in install/  
Wireless/ relay control)



**RF-A3**  
(Wireless/manual control)



**RF-A232**  
(Wireless/RS232/Manual/relay control)





**Suitable use:**

Special classroom, Meeting room, Conference room, Intelligence room, Lecture Theaters

**Warranty: 12 Month**

**CB CE**